



PRODUCT INFORMATION

English

Series
MBL

HIGH PRESSURE LUBRICATED BOOSTERS



SERIES LUBRICATED BOOSTERS MBL

About us

Ing. **Enea Mattei SpA** is an Italian company that has been producing air compressors since 1919. Over the years, the company has continually evolved and is today one of the world's foremost companies in the compressed air sector and the leader in the production of rotary vane compressors. Behind the success of Mattei are the choices the company has made in terms of design, production and marketing, driven by the results of its continual and in-depth research and development programmes. During these years of continual change, Mattei has been able to adapt to the requirements of the market and through the results of its research has created products that are always innovative and technologically advanced.



Certified quality

Quality as an integral part of all company functions and constant improvement of all production processes so as to always guarantee the maximum level of reliability and satisfaction. This, in brief, is the value and the meaning of **Mattei's** operational philosophy. A way of approaching the market and customers that makes **Mattei** an absolute point of reference in the compressed air sector. Since 1994, **Mattei** has been operating with a Quality System certified by the DNV Institute under UNI EN ISO 9001 regulations.



MBL Series

Lubricated boosters

The **Mattei MBL** (lubricated high-pressure boosters) series, electric motor driven, increase up to 45 bar the air coming from the normal industrial compressed air at 6-8 bar; It is single stage design (two stages version are available for pressure above 35 bar), air-cooled cylinders and low revolution speed.

Those machine are suitable both for air, nitrogen and other gases.

Mattei MBL series is mounted on a steel base, includes V-belts transmission, idle/load automatic system, safety valve on discharge pressure and no-return valve.

Advantages

- Compact dimensions and low rated power.
- Low energy consumption, because boosters is utilized only when high pressure air is demanded.
- The industrial compressed air plant remains unchanged, installing the booster close to the applications.









Main applications

- Blowing PET plastic bottles.
- Pressure testing of reservoirs, heat exchangers and other equipments.
- Driving of presses.
- Driving of pneumatic and hydraulic cylinders.



SERIES LUBRICATED BOOSTERS MBL

Technical data

 Models	 Max. pressure Bar g	 Suction pressure Bar g	 Delivery pressure Bar g	 Motor power		 N° Cylinders	 Speed rpm	 Free air delivery in mc / min discharge pressure bar (g)						
				kW	hp			20	25	30	35	40	45	
SINGLE STAGE LUBRICATED BOOSTERS														
MBL 720	20	8	20	7,5	10	2	600	1,91						
MBL 1130	35	8	30	11	15	2	700			2,17				
MBL 1520	35	8	20	15	20	2	700	3,60	3,53					
MBL 1525	35	8	25	15	20	2	700	3,60	3,53					
MBL 2220	30	8	20	22	30	2	600	5,60	5,50	5,38				
MBL 3025	30	8	25	30	40	2	600	5,60	5,50	5,38				
MBL 3030	30	8	30	30	40	2	600	5,60	5,50	5,38				
DOUBLE STAGE LUBRICATED BOOSTERS														
MBL 745	45	6	45	7,5	10	2	700							0,75
MBL 1145	45	6	45	11	15	2	600							1,00
MBL 1545	45	6	45	15	20	2	780							1,50
MBL 3045	45	6	45	30	40	2	700							4,30

All boosters are supplied with electric switch board with direct starting (model MBL 720-745), star-delta (all the others). They are placed into steel cabinet to be fixed on the wall. The electric switch board includes a controller with LCD digital display and phase control switch, it is arranged to get signals from an oil level/pressure switch, from two pressure transmitters (inlet and outlet pressure) and one PT100 temperature probe (inlet temp.).

All models include: steel frame, air inlet cut-off valve and by-pass valve for idling, inlet air steel strainer, overpressure valve on air outlet, no return valve, auxiliary circuits junction-box and vibration pads.





Models MBL 1130-1520-1525-1145-1545 include a oil level switch (it is an option on models MBL 720 - 745). Models MBL 2220-3025-3030-3045 include a minimum pressure oil switch.

Standard electric motor supply 400V/3F/50Hz, auxiliary supply 24VAC/50Hz (different input available on request).


Accessories	Single stage							Double stage			
	MBL 720	MBL 1130	MBL 1520	MBL 1525	MBL 2220	MBL 3025	MBL 3030	MBL 745	MBL 1145	MBL 1545	MBL 3045
Air after-cooler up to 4,0 m ³ /min at 40 bar (without separator)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pressure switch 10 - 35 bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pressure switch 10 - 50 bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pressure trasmitter 0 - 50 bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Inlet pressure trasmitter 0 - 15 bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Oil level switch	✓							✓			
Temperature probe PT100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cabinet	✓										
Cabinet			✓								
Cabinet					✓						

SERIES LUBRICATED BOOSTERS MBL

Overall dimensions

					
	Length (mm)	Width (mm)	Height (mm)	Weight	Noise level
	A	B	C	kg	dB(A)
SINGLE STAGE LUBRICATED BOOSTERS					
MBL 720	1050	620	870	175	76
	1200*	700*	1050*	175*	66*
MBL 1130	1200	660	890	300	77
MBL 1520	1200	690	890	320	78
	1200*	700*	1050*	410*	68*
MBL 1525	1200	660	890	300	77
MBL 2220	1250	690	910	590	78
	1350*	845*	1080*	730*	69*
MBL 3025	1250	690	910	630	78
MBL 3030	1250	690	910	630	78
DOUBLE STAGE LUBRICATED BOOSTERS					
MBL 745	1130	660	830	185	77
MBL 1145	1200	705	870	320	77
MBL 1545	1200	705	870	330	78
MBL 3045	1300	980	950	820	78

(*) Silent version





ITALY - ING. ENEA MATTEI SpA
Strada Padana Superiore, 307
20090 VIMODRONE (MI)
Tel + 39 02253051 - Fax +39 0225305243
E-mail: info@mattei.it

www.matteigroup.com



FRANCE

MATTEI COMPRESSEURS
Phone +33 535 542 205 - Fax +33 972 316 833
E-MAIL: infos@mattei.fr - www.mattei.fr

GERMANY

MATTEI KOMPRESSOREN DEUTSCHLAND GmbH
Phone +49 7151 5002560 - Fax +49 7151 5002565
E-MAIL: info@mattei-kompressoren.de - www.mattei-kompressoren.de

GREAT BRITAIN

MATTEI COMPRESSORS Ltd
Phone +44 (0)1789 450577 - Fax +44 (0)1789 450698
E-MAIL: info@mattei.co.uk - www.mattei.co.uk

U.S.A.

MATTEI COMPRESSORS Inc
Phone +1 410 5217020 - Fax +1 410 5217024
E-MAIL: info@matteicomp.com - www.matteicomp.com

RUSSIAN FEDERATION

ING. ENEA MATTEI SpA
Phone +7 499 1124877
E-MAIL: mattei-rus@mail.ru

SPAIN

ING. ENEA MATTEI SpA
Phone +34 93 435 03 94 - Fax +34 93 455 26 76
E-MAIL: info@mattei.it

PEOPLE'S REPUBLIC OF CHINA

Mattei (SuZhou) Air Compressors Manufacturing Co., Ltd
WFOE by Ing. Enea Mattei SpA - Italy
Tel: +86 512 66679986 Fax: +86 512 66679989
E-MAIL: info@matteisuzhou.cn - www.matteisuzhou.com

UNI EN ISO 9001:2015

